SUC: 04-Metal Working Fluids and Lubricants

External Key: 10-4071, 12377900

MATERIAL SAFETY DATA SHEET

Print Date: 05.Apr.2013

Corporate Synonyms: ACDELCO DIELECTRIC LUBRICANT

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name NYOGEL 760G

Version #

Revision date August-07-2012

CAS# Mixture

Product Code NYOGEL 760G Product use **Lubricating Grease** Manufacturer information Nye Lubricants, Inc. 12 Howland Road

Fairhaven, MA 02719 US

508-996-6721

CHEMTREC 1-800-424-9300

2. Hazards Identification

Emergency overview Prolonged and/or repeated skin contact may result in mild irritation or redness. May be ignited by

heat, sparks or flames. Contact with eyes may cause irritation. Health injuries are not known or

expected under normal use.

OSHA regulatory status This product is considered not hazardous under 29 CFR 1910.1200 (Hazard Communication).

Potential health effects

Routes of exposure Skin contact. Eye contact.

Eyes Contact with eyes may cause irritation.

Skin Prolonged and/or repeated skin contact may result in mild irritation or redness.

Inhalation Health injuries are not known or expected under normal use. Ingestion Health injuries are not known or expected under normal use.

Target organs Eyes. Skin.

3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical

attention

Skin contact Wash off with soap and water. Get medical attention if symptoms occur. Wash clothing separately

before reuse

Inhalation If symptoms develop, remove affected person from source of exposure into fresh air. Get

immediate medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention. Do not induce vomiting without

medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

Never give anything by mouth to a victim who is unconscious or is having convulsions.

General advice If you feel unwell, seek medical advice (show the label where possible).

5. Fire Fighting Measures

Flammable properties The product is not flammable. No unusual fire or explosion hazards noted.

Extinguishing media

Suitable extinguishing Water Fog. Foam. Carbon dioxide (CO2). Dry chemical.

media

Unsuitable extinguishing Water. Do not use water jet as an extinguisher, as this will spread the fire.

media

Fire fighting Wear full protective clothing, including helmet, self-contained positive pressure or pressure equipment/instructions demand breathing apparatus, protective clothing and face mask. Move containers from fire area if

you can do it without risk.

Material name: NYOGEL 760G MSDS US

SUC: 04-Metal Working Fluids and Lubricants

External Key: 10-4071, 12377900

MATERIAL SAFETY DATA SHEET

Print Date: 05.Apr.2013

Corporate Synonyms: ACDELCO DIELECTRIC LUBRICANT

Hazardous combustion

products

Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Observe precautions from other sections.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas.

Methods for containment Methods for cleaning up Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Soak up with inert absorbent material. Absorb in vermiculite, dry sand or earth and place into containers. Clean contaminated surface thoroughly. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS. Clean up spills immediately, observing precautions in Protective Equipment section. Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

Handling

Do NOT pressurize, cut, heat, or weld containers. Empty product containers may contain product residue. Avoid prolonged or repeated skin contact with this material. Avoid breathing gas/vapors/mist/fumes. Do not handle or store near an open flame, heat or other sources of ignition. Do not take internally. Do not taste or swallow. Avoid contact with eyes. Wash thoroughly after handling. Handle and open container with care.

Storage

Keep away from heat and sources of ignition. Store in cool place. Store in a closed container

away from incompatible materials. Use care in handling/storage.

8. Exposure Controls / Personal Protection

Engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Personal protective equipment

Eye / face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Wear suitable protective clothing. Wear nitrile, neoprene, PVC or viton gloves.

Respiratory protection

No personal respiratory protective equipment normally required. An air purifying respirator with an organic vapor cartridge may be used under certain circumstances where airborne concentrations are expected to exceed exposure limits, or if irritation or symptoms are experienced. Respiratory protection must be provided in accordance with 29 CFR 1910.134.

General hygiene considerations

When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling. Launder contaminated clothing before reuse.

9. Physical & Chemical Properties

Appearance Not available.

Form Liquid. Semi-solid

ColorClearOdorSlight

Flash point Not available.

Other data

Flash point class Combustible IIIB

Shelf life 4 years

10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions. Stable.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong acids, alkalies and oxidizing agents.

Material name: NYOGEL 760G

MSDS No. NYOGEL 760G Version #: 16 Revision date: August-07-2012 Print date: August-07-2012

SUC: 04-Metal Working Fluids and Lubricants

External Key: 10-4071, 12377900

MATERIAL SAFETY DATA SHEET

Print Date: 05.Apr.2013

Corporate Synonyms: ACDELCO DIELECTRIC LUBRICANT

Hazardous decomposition

products

Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological Information

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product

does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC and NTP.

Further information This product has no known adverse effect on human health.

12. Ecological Information

Ecotoxicity This material is not expected to be harmful to aquatic life.

Persistence and degradability

Not available.

13. Disposal Considerations

Disposal instructionsUnder RCRA, it is the responsibility of the user of the product to determine, at the time of

disposal, whether the product meets RCRA criteria for hazardous waste. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in

accordance with all applicable regulations.

Waste from residues / unused

products

Not applicable.

Contaminated packaging E

Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2)

Not regulated

DEA Essential Chemical Code Number

Not regulated

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated

DEA Exempt Chemical Mixtures Code Number

Not regulated

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

No

chemical

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

Australia Australian Inventory of Chemical Substances (AICS)

Material name: NYOGEL 760G

Yes

SUC: 04-Metal Working Fluids and Lubricants

External Key: 10-4071, 12377900

MATERIAL SAFETY DATA SHEET Print Date: 05.Apr.2013

Corporate Synonyms: ACDELCO

DIELECTRIC LUBRICANT

Country(s) or region Inventory name On inventory (yes/no)* Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes European Inventory of Existing Commercial Chemical Europe No Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

Philippine Inventory of Chemicals and Chemical Substances

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

16. Other Information

Philippines

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings

Flammability: 0 Physical hazard: 0

Health: 0 NFPA ratings

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge.

information and belief at the date of its publication . The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Nye Lubricants, Inc. makes no warranty with respect thereto and disclaims all liability with respect thereon. The information in the sheet was written based on the best knowledge and experience

currently available.

Issue date August-07-2012

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Product and Company Identification

Material name: NYOGEL 760G MSDS US

No

Yes