

SAFETY DATA SHEET

1. Identification

Product identifier Gold Concentrated Antifreeze/Coolant

Other means of identification

189062 FIR No.

Recommended use Engine antifreeze/coolant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company Name Ford Motor Company

Address Attention: MSDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

1-800-392-3673 **Telephone MSDS Information** 1-800-448-2063

msds@brownart.com

Emergency telephone

Environmental hazards

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Specific target organ toxicity, single exposure Category 1 Specific target organ toxicity, repeated Category 1

exposure

Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

Category 3

long-term hazard

Not classified. **OSHA** defined hazards

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes damage to organs. Causes damage to organs through prolonged or

repeated exposure. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when Prevention

using this product. Avoid release to the environment.

If swallowed: Call a poison center/doctor if you feel unwell. If exposed: Call a poison Response

center/doctor. Rinse mouth.

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

Irritating to eyes, respiratory system and skin. Aspiration may cause pulmonary edema and

pneumonitis. Components in this product have been shown to cause birth defects and

reproductive disorders in laboratory animals.

Supplemental information None.

SDS US FIR No.: 189062

1/8

Issue Date: 11-02-2015

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethane-1,2-diol		107-21-1	80 - < 90
2,2'-Oxydiethanol		111-46-6	5 - < 10
BORON SODIUM OXIDE (B4NA2O7), PENTAHYDRATE		12179-04-3	1 - < 3
sodium nitrite		7632-00-0	< 1

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Wash with plenty of soap and water. If irritation

persists get medical attention.

Eye contact Rinse immediately with plenty of water for at least 15 minutes. If irritation persists get medical

attention.

Ingestion Call a physician or poison control center immediately. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

General information

Abdominal pain. Convulsions. Decrease in motor functions. Edema. Behavioral changes. Narcosis. Dizziness. Nausea, vomiting. Coughing. Discomfort in the chest. Shortness of breath. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters
Fire fighting

equipment/instructions

Specific methods
General fire hazards

Powder. Alcohol resistant foam. Carbon dioxide (CO2). Water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Mayo containers from fire area if you can do so without riels

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid contact with eyes. Do not breathe mist or vapor. Avoid skin contact and inhalation of vapors during disposal of spills. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

FIR No.: 189062 SDS US

Issue Date: 11-02-2015

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Keep away from heat, sparks and open flame. Avoid release to the environment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). This product may react with strong oxidizing agents.

8. Exposure controls/personal protection

Occupational exposure limits

110	ACCIL	Throobold	1 ::4	Values
US.	ACGIH	Threshold	Limit	values

Components	Туре	Value	Form
BORON SODIUM OXIDE (B4NA2O7), PENTAHYDRATE (CAS 12179-04-3)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
Ethane-1,2-diol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
US. NIOSH: Pocket Guide to Cher	mical Hazards		
Components	Туре	Value	
BORON SODIUM OXIDE (B4NA2O7), PENTAHYDRATE (CAS 12179-04-3)	TWA	1 mg/m3	
US. Workplace Environmental Ex	posure Level (WEEL) Guides		
Components	Type	Value	
2,2'-Oxydiethanol (CAS 111-46-6)	TWA	10 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Suitable chemical protective gloves should be worn when the potential exists for prolonged or

repeated skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Use protective

gloves made of: Neoprene. Nitrile. Polyvinyl chloride (PVC).

Other Wear suitable protective clothing. Wear appropriate chemical resistant clothing if applicable.

Respiratory protection If engineering controls do not maintain airborne concentrations to a level which is adequate to

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Version: 02

Physical state Liquid.

FIR No.: 189062 SDS US

Issue Date: 11-02-2015

Form Liquid. Yellow. Color

Characteristic. Odor **Odor threshold** Not available. 8 ASTM D1293 pН 33.3 % v/v pH concentration

Initial boiling point and boiling

Melting point/freezing point

range

> 299.84 °F (> 148.8 °C)

Flash point 249.8 °F (121.0 °C) COC

Evaporation rate Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density

1.14 Relative density

Relative density temperature 60 °F (15.56 °C)

Solubility(ies)

Solubility (water) COMPLETE IN WATER

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

May cause damage to organs by inhalation. May cause damage to organs through prolonged or Inhalation

repeated exposure by inhalation. Prolonged inhalation may be harmful. May cause irritation to the

respiratory system.

May be irritating to the skin. Skin contact

Direct contact with eyes may cause temporary irritation. Eye contact

HARMFUL OR FATAL IF SWALLOWED. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Abdominal pain. Convulsions. Dizziness. Nausea, vomiting.

Information on toxicological effects

SDS US FIR No.: 189062

4/8

Issue Date: 11-02-2015

Components	Species	Calculated/Test Results	
2,2'-Oxydiethanol (CAS 111-46-6)		
Acute			
Dermal	Dahhit	44000	
LD50	Rabbit	11890 mg/kg	
<i>Oral</i> LD50	Cat	3300 mg/kg	
LD30		9000 mg/kg	
	Dog Guinaa nin		
	Guinea pig	8700 mg/kg	
	Mouse	13.3 g/kg	
	Rabbit	26.9 g/kg	
	Rat	12565 mg/kg	
·	207), PENTAHYDRATE (CAS 12179	-04-3)	
Acute			
<i>Dermal</i> LD50	Rabbit	> 1055 mg/kg	
	Ναμμι	> 1055 Hig/kg	
Inhalation LC50	Rat	> 0.002 mg/l, 4 Hours	
Oral	· Cat	o.ooz mgn, r nouro	
LD50	Rat	2660 mg/kg	
Ethane-1,2-diol (CAS 107-21-1)		2000 mg.mg	
Acute			
Dermal			
LD50	Rabbit	9530 mg/kg	
Oral			
LD50	Cat	1650 mg/kg	
	Dog	5500 mg/kg	
	Guinea pig	8.2 g/kg	
	Mouse	14.6 g/kg	
	Rat	5.89 g/kg	
sodium nitrite (CAS 7632-00-0)		3 3	
Acute			
Inhalation			
LC50	Rat	5.5 mg/l, 4 Hours	
Oral			
LD50	Mouse	175 mg/kg	
	Rabbit	186 mg/kg	
	Rat	85 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause	temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cau	use skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to b	e a carcinogen by IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulat Not listed.	ed Substances (29 CFR 1910.1001-	1050)	

Version: 02 Issue Date: 11-02-2015

FIR No.: 189062

Components in this product have been shown to cause birth defects and reproductive disorders in Reproductive toxicity

laboratory animals.

Specific target organ toxicity -

single exposure

Causes damage to organs. Lungs. Central nervous system. Heart. Blood. Kidneys.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure. Lungs. Central nervous

0.15 - 0.25 mg/l, 96 hours

system. Heart. Blood. Kidneys.

If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary **Aspiration hazard**

injury or death.

Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be **Chronic effects**

harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Ecotoxicity

Components		Species	Calculated/Test Results
2,2'-Oxydiethanol (CA	S 111-46-6)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	> 32000 mg/l, 96 hours
BORON SODIUM OX	IDE (B4NA2O7), PE	ENTAHYDRATE (CAS 12179-04-3)	
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	104 mg/l, 96 hours
Ethane-1,2-diol (CAS	107-21-1)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	8050 mg/l, 96 hours
sodium nitrite (CAS 76	632-00-0)		
Aquatic			
Crustacea	EC50	Greasyback shrimp (Metapenaeus ensis)	16.14 - 26.61 mg/l, 48 hours

Persistence and degradability

(Oncorhynchus mykiss) No data is available on the degradability of this product.

Rainbow trout, donaldson trout

Bioaccumulative potential

Fish

Partition coefficient n-octanol / water (log Kow)

Ethane-1,2-diol -1.36

LC50

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

FIR No.: 189062 SDS US

Issue Date: 11-02-2015

14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

IATA

<Unspecified>

Not regulated as dangerous goods.

IMDG

<Unspecified>

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

sodium nitrite (CAS 7632-00-0) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethane-1.2-diol (CAS 107-21-1) Listed. sodium nitrite (CAS 7632-00-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Ethane-1,2-diol	107-21-1	80 - < 90	_
sodium nitrite	7632-00-0	< 1	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethane-1,2-diol (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

BORON SODIUM OXIDE (B4NA2O7), PENTAHYDRATE (CAS 12179-04-3)

Ethane-1.2-diol (CAS 107-21-1) sodium nitrite (CAS 7632-00-0)

US. New Jersey Worker and Community Right-to-Know Act

BORON SODIUM OXIDE (B4NA2O7), PENTAHYDRATE (CAS 12179-04-3)

FIR No.: 189062 7/8

Issue Date: 11-02-2015

Ethane-1,2-diol (CAS 107-21-1) sodium nitrite (CAS 7632-00-0)

US. Pennsylvania Worker and Community Right-to-Know Law

2,2'-Oxydiethanol (CAS 111-46-6)

BORON SODIUM OXIDE (B4NA2O7), PENTAHYDRATE (CAS 12179-04-3)

Ethane-1,2-diol (CAS 107-21-1) sodium nitrite (CAS 7632-00-0)

US. Rhode Island RTK

Ethane-1,2-diol (CAS 107-21-1) sodium nitrite (CAS 7632-00-0)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. Other information, including date of preparation or last revision

11-02-2015 Issue date **Revision date** 11-02-2015

Version # 02

Health: 1 **HMIS®** ratings

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Preparation Information and

Disclaimer

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II. 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product labels, the SDS should be followed.

Revision Information

Product and Company Identification: Product and Company Identification

Hazard(s) identification: Hazard(s) not otherwise classified (HNOC) Exposure controls/personal protection: Appropriate engineering controls

Toxicological Information: Toxicological Data Regulatory information: California Prop 65

VC-7-B, VC-7-B1, VC-7-D Part number(s)

FIR No.: 189062 SDS US

Issue Date: 11-02-2015