

SAFETY DATA SHEET

1. Identification

Product identifier Premium Prediluted Antifreeze/Coolant

Other means of identification

FIR No. 188858

Recommended use Engine antifreeze/coolant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company Name Ford Motor Company

Address Attention: MSDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

 Telephone
 1-800-392-3673

 SDS Information
 1-800-448-2063

fordsds.com

Emergency telephone

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity, single exposure Category 1

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product.

Response If exposed: Call a poison center/doctor.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC) SWALLOWED.

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Inhalation

of vapors/fumes generated by heating this product may cause respiratory irritation with throat

Aspiration may cause pulmonary edema and pneumonitis. HARMFUL OR FATAL IF

discomfort, coughing or difficulty breathing. Causes skin and eye irritation.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Version: 02

FIR No.: 188858 SDS US

Issue Date: 04-13-2016

1/7

Chemical name	Common name and synonyms	CAS number	%
Ethane-1,2-diol		107-21-1	40 - < 50
2,2'-Oxydiethanol		111-46-6	3 - < 5

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Immediately take off all contaminated clothing. For skin contact, wash immediately with soap and Skin contact

water. Get medical attention if irritation develops and persists.

Rinse immediately with plenty of water for at least 15 minutes. If irritation persists get medical Eye contact

attention.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Abdominal pain. Convulsions. Dizziness. Nausea, vomiting. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Powder. Alcohol resistant foam. Water fog. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Avoid contact with eyes. Avoid skin contact and inhalation of vapors during disposal of spills. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage Precautions for safe handling Avoid discharge into drains, water courses or onto the ground.

Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. See Section 8 of the SDS for Personal Protective Equipment.

FIR No.: 188858 SDS US 2/7 Version: 02

Issue Date: 04-13-2016

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACC	3IH Th	reshold	Limit	Values
---------	--------	---------	-------	---------------

Components	Туре	Value	Form	
Ethane-1,2-diol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.	
US. Workplace Environmental Exposure Level (WEEL) Guides				
Components	Туре	Value		

2,2'-Oxydiethanol (CAS 111-46-6)

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Biological limit values

Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below the recommended

10 mg/m3

exposure limits/guidelines.

TWA

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Suitable chemical protective gloves should be worn when the potential exists for prolonged or Hand protection

repeated skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Protective gloves

are recommended. Polyvinyl chloride (PVC). Rubber gloves. Nitrile.

Wear suitable protective clothing. Wear appropriate chemical resistant clothing if applicable. Other

Respiratory protection If engineering controls do not maintain airborne concentrations to a level which is adequate to

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Green.

Odor Characteristic.

Odor threshold Not available.

Ha 10.5 pH concentration 100 % v/v Not available. Melting point/freezing point Initial boiling point and boiling 226.4 °F (108 °C)

range

> 249.8 °F (> 121.0 °C) Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Explosive limit - lower (%) 3.2 % Explosive limit - upper (%) 15.3 % Vapor pressure 2.33 kPa Vapor pressure temp. 68 °F (20 °C)

FIR No.: 188858 SDS US

Version: 02 Issue Date: 04-13-2016 Vapor density Not available.

Relative density 1.08

Relative density temperature 60 °F (15.56 °C)

Solubility(ies)

Solubility (water) SOLUBLE IN WATER

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

VOC (Weight %) < 5 %

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs by inhalation. May cause damage to organs through prolonged or

repeated exposure by inhalation. Prolonged inhalation may be harmful.

Skin contact May be irritating to the skin.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion HARMFUL OR FATAL IF SWALLOWED.

Symptoms related to the physical, chemical and toxicological characteristics

Abdominal pain. Convulsions. Behavioral changes. Decrease in motor functions. Edema. Narcosis. Dizziness. Nausea, vomiting. Coughing. Discomfort in the chest. Shortness of breath.

Information on toxicological effects

Acute toxicity

Components	Species	Calculated/Test Results
2,2'-Oxydiethanol (CAS 111-4	46-6)	
Acute		
Dermal		
LD50	Rabbit	11890 mg/kg
Oral		
LD50	Cat	3300 mg/kg
	Dog	9000 mg/kg
	Guinea pig	8700 mg/kg
	Mouse	13.3 g/kg
	Rabbit	26.9 g/kg
	Rat	12565 mg/kg
Ethane-1,2-diol (CAS 107-21	-1)	
Acute		
Dermal		
LD50	Rabbit	9530 mg/kg

FIR No.: 188858 SDS US

Issue Date: 04-13-2016

 Components
 Species
 Calculated/Test Results

 Oral
 LD50
 Cat
 1650 mg/kg

 Dog
 5500 mg/kg

 Guinea pig
 8.2 g/kg

 Mouse
 14.6 g/kg

 Rat
 5.89 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Components in this product have been shown to cause birth defects and reproductive disorders in

laboratory animals.

Specific target organ toxicity -

single exposure

Causes damage to organs. Lungs. Central nervous system. Heart. Blood. Kidneys.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure. Lungs. Central nervous

system. Heart. Blood. Kidneys.

Aspiration hazard If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary

injury or death.

Chronic effectsCauses damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicity

Components		Species	Calculated/Test Results
2,2'-Oxydiethanol (CAS 111-46-6)		
Aquatic			
Fish	LC50	Western mosquitofish (G	ambusia affinis) > 32000 mg/l, 96 hours
Ethane-1,2-diol (CA	AS 107-21-1)		
Aquatic			
Fish	LC50	Fathead minnow (Pimeph	nales promelas) 8050 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ethane-1,2-diol -1.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

FIR No.: 188858 SDS US

Issue Date: 04-13-2016

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

<Unspecified>

Not regulated as dangerous goods.

<Unspecified>

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Not established.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethane-1,2-diol (CAS 107-21-1)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Ethane-1,2-diol 107-21-1 40 - < 50

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethane-1,2-diol (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

FIR No.: 188858 SDS US

Issue Date: 04-13-2016

US. Massachusetts RTK - Substance List

Ethane-1,2-diol (CAS 107-21-1)

US. New Jersey Worker and Community Right-to-Know Act

Ethane-1,2-diol (CAS 107-21-1)

US. Pennsylvania Worker and Community Right-to-Know Law

2,2'-Oxydiethanol (CAS 111-46-6) Ethane-1.2-diol (CAS 107-21-1)

US. Rhode Island RTK

Ethane-1,2-diol (CAS 107-21-1)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. Other information, including date of preparation or last revision

 Issue date
 04-13-2016

 Revision date
 04-13-2016

Version # 02

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Preparation Information and

Disclaimer

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer

packaged product labels, the SDS should be followed.

Revision Information Exposure controls/personal protection: Appropriate engineering controls

Toxicological Information: Toxicological Data Regulatory information: California Prop 65

Part number(s) VC-5DIL, VC-5DIL-B

FIR No.: 188858 SDS US

Issue Date: 04-13-2016